

LIBERTY 2 SEMI-AUTOMATIC TURNTABLE STRETCH WRAPPER



Liberty 2 Semi-Automatic Turntable Stretch Wrapper Product Description

Simple and easy to use, the Liberty 2 is the affordable solution to stretch wrap your load without stretching your budget. The Liberty 2 is loaded with features, including top and bottom counters, photo eye, and two (2) wrapping modes. State-of-the-art INFO screen shows current machine operation and makes troubleshooting easy. Simplified Stretch allows you to precisely adjust your film stretch and film force on your load with the turn of a knob.



800-404-2311

sales@phsinc.com

1500 Scottsdale Ct, Ste. 100, Elgin, IL 60123

LIBERTY 2

SEMI-AUTOMATIC TURNTABLE STRETCH WRAPPER

Standard Liberty 2 Semi Low Profile Stretch Wrapper Specifications

Production Capacity:

- 10 - 20 loads per hour
- 52" x 52" x 80"

Turntable Specifications:

- 3,200" Floor-to-Table Height
- Baldor 90V DC Turntable Drive
- Adjustable Turntable Speed 0-12 RPM
- 60" Diameter Turntable
- V-Belt Table Drive

Film Delivery System:

- Simplified Stretch 60% to 150% Typical
- 20" Roll Width Capacity
- 10" Diameter Roll Capacity

Operating Controls:

- Adjustable Top and Bottom Wrap Counts
- Green Start Push Button
- Carriage Jog Up/Down Button
- Turntable Speed Dial
- Turntable Jog Button
- Wrap Mode Selector: Allows operator to wrap up only, up and down, or reset to home location
- Push/Pull Red E-Stop Button
- Carriage Spiral Speed Dial
- Carriage Pause (Banding) Button
- System Reset Button
- Main Power On/Off Switch

Load Capacity:

- 4,000 lbs
- 1-12 RPM

Film Elevator:

- Chain Carriage Lift
- Variable Up/Down Speed
- Baldor 90V DC Elevator Drive
- Photo-Eye Height Sensor
- 2 Selectable Wrap Modes:
 - A) Wrap Up and Wrap Down
 - B) Wrap Up and Stops. Push Start Button - Carriage Automatically Returns

Electrical:

- 115V 15AMP Electrical Input
- JIC Standard
- Baldor 90V DC TEFC Motors
- CE Approved
- Photo-Eye Senses Loads Height

Safety Features That Shut Off Power:

- Opening Control Panel Door
- Safety bar Underneath Carriage



800-404-2311

sales@phsinc.com

1500 Scottsdale Ct, Ste. 100, Elgin, IL 60123

LIBERTY 2

SEMI-AUTOMATIC TURNTABLE STRETCH WRAPPER

Standard Liberty 2 Semi High Profile Stretch Wrapper Specifications

Production Capacity:

- 10 - 20 loads per hour
- 52" x 52" x 70"

Turntable Specifications:

- 13 1/2" Floor Height
- 90V DC Turntable Drive Motor
- Two Swivel Casters
- Adjustable Turntable Speed
- 48" x 48" Octagonal Steel Diamond Top
- 3-Point Caster Friction Drive System
- One Drive Caster

Film Delivery System:

- Simplified Stretch 60% to 150% Typical
- 20" Roll Width Capacity
- 10" Diameter Roll Capacity

Operating Controls:

- Adjustable Top and Bottom Wrap Counts
- Green Start Push Button
- Carriage Jog Up/Down Button
- Turntable Speed Dial
- Turntable Jog Button
- Wrap Mode Selector: Allows operator to wrap up only, up and down, or reset to home location
- Push/Pull Red E-Stop Button
- Carriage Spiral Speed Dial
- Carriage Pause (Banding) Button
- System Reset Button
- Main Power On/Off Switch

Load Capacity:

- 4,000 lbs
- 1-12 RPM

Film Elevator:

- Chain Carriage Lift
- Variable Up/Down Speed
- Baldor 90V DC Elevator Drive
- Photo-Eye Height Sensor
- 2 Selectable Wrap Modes:
 - A) Wrap Up and Wrap Down
 - B) Wrap Up and Stops. Push Start Button - Carriage Automatically Returns

Electrical:

- 115V 15AMP Electrical Input
- JIC Standard
- Baldor 90V DC TEFC Motors
- CO Approved
- Photo-Eye Senses Loads Height

Safety Features That Shut Off Power:

- Opening Control Panel Door
- Safety bar Underneath Carriage