


800-404-2311

sales@phsinc.com 1500 Scottsdale Ct, Ste. 100, Elgin, IL 60123

PATRIOT 3 SEMI-AUTOMATIC STRETCH WRAPPER





Patriot 3 Semi-Automatic Stretch Wrapper Product Description

The Patriot 3 is the most versatile, flexible and reliable stretch wrap system in the industry!

Patriot 3 Pre-Stretch has the versatility to adapt to any stretch film and deliver the maximum performance from that film.

The flexibility of five (5) wrapping patterns will unitize any load most efficiently. The reliability of the highest quality industrial components assures efficient operation and long life.





800-404-2311

sales@phsinc.com 1500 Scottsdale Ct, Ste. 100, Elgin, IL 60123

PATRIOT 3 SEMI-AUTOMATIC STRETCH WRAPPER

Standard Patriot 3 Low Profile Stretch Wrapper Specifications

Production Capacity: • 30 - 40 loads per hour

• 58" Diagonal x 80" High Capacity

Turntable Specifications: • 3 3/4" Floor Height

58" Diameter Smooth Turntable Top
3/4 HP Baldor AC Turntable Drive

Adjustable Turntable Speed: • 3 Ramp Positions

Film Delivery System: • Pre-Stretch

1/2 HP Baldor AC Pre-Stretch Motor
Infinite Film Force Adjustment
10" Diameter Roll Capacity
10" to 20" Roll Width Capacity
Liquid Cooled / Maintenance Free:

-Allows Infinite Independent Pre-Stretch -Adjustment at Top and Bottom Load

Operating Controls:

• Cumulative Cycle Counter

• Independent Top and Bottom Wrap Counters

Illuminate Red Stop Push/Pull
Green Start Push Button
Carriage Up/Down Speed Dial

Turntable Jog Push Button
Carriage Auto/Banding Selector
"10 Turn" Film Force Adjustment Dial
"Film Assist" Powered Film Feed
5 Separate Wrap pattern Selector

Load Capacity: • 5,000 lbs

• 1-12 RPM

Film Elevator: • Dual Belt Carriage Lift

Automatic Height Sensor
Adjustable Height Overrides
Variable Up/Down Speed
3/4 HP Baldor AC Elevator Drive

• 5 Selectable Wrap Modes

Electrical: • 120V 20AMP Electrical

Allen Bradley MicroLogix 1200 PLC

• JIC Standard

NEMA 12 Enclosures
TEFC Baldor Motors





800-404-2311

sales@phsinc.com

1500 Scottsdale Ct, Ste. 100, Elgin, IL 60123

PATRIOT 3 SEMI-AUTOMATIC STRETCH WRAPPER

Standard Patriot 3 High Profile Stretch Wrapper Specifications

Production Capacity: • 30 - 40 loads per hour

• 48" x 48" x 72"

Turntable Specifications: • 13 1/2" Floor Height

• 48" x 48" Octagonal Steel Diamond Top

• 3/4 HP AC Turntable Drive

• 3 Point Caster Friction Drive System

Two Swivel CastersOne Drive Casters

• Adjustable Turntable Speed

Film Delivery System: • Pre-Stretch

-Allows Infinite Independent Pre-Stretch Adjustment at Top and Bottom

• 1/2 HP Baldor AC Pre-Stretch Motor

Infinite Film Force Adjustment10" Diameter Roll Capacity

• 10" to 20" Roll Width Capacity

Operating Controls:

• Cumulative Cycle Counter

• Independent Top and Bottom Wrap Counters

• Illuminate Red Stop Push/Pull

• Green Start Push Button

Carriage Up/Down Speed DialTurntable Jog Push Button

• TOTTICIDLE JOG FUSTI BUTTOTI

Carriage Auto/Banding Selector"10 Turn" Film Force Adjustment Dial

• "Film Assist" Powered Film Feed

• 5 Separate Wrap pattern Selector

Load Capacity: • 4,000 lbs

• 1-12 RPM

Film Elevator: • Dual Belt Carriage Lift

Automatic Height Sensor
Adjustable Height Overrides
Variable Up/Down Speed

• 3/4 HP Baldor AC Elevator Drive

Electrical: • 120V 15AMP Electrical

• Allen Bradley MicroLogix 1200 PLC

• JIC Standard

NEMA 12 Enclosures

• TEFC Baldor Motors

